

**Section 1 - Identification of The Material and Supplier****Macspred Pty Ltd**  
**13 Kennedys Drive**  
**Delacombe VIC 3356 AUSTRALIA****Phone: (03) 5335 8522**

**Chemical nature:** Active ingredient is a sulfonylurea derivative.

**Trade Name:** **Macspred Enviromac G Granular Herbicide**

**Product Code:** 45439

**Product Use:** A herbicide for the control of certain annual and perennial weeds in industrial situations as described on the product label.

**Creation Date:** **September, 2013**

**This version issued:** **October, 2023** and is valid for 5 years from this date.

**Poisons Information Centre: Phone 13 1126 from anywhere in Australia**

**Section 2 - Hazards Identification****Statement of Hazardous Nature**

This product is classified as: Not classified as hazardous according to the criteria of SWA.

Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.

**SUSMP Classification:** S5

**ADG Classification:** None allocated. Not a Dangerous Good under the ADG Code.

**UN Number:** None allocated

**GHS Signal word: NONE. Not hazardous.**

**RESPONSE**

P337: If eye irritation persists: seek medical attention.

P353: Rinse skin or shower with water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P332+P313: If skin irritation occurs: Get medical advice.

P337+P313: If eye irritation persists: Get medical advice.

**STORAGE**

P404: Store in a closed container.

P410+P403: Protect from sunlight. Store in a well-ventilated place.

**DISPOSAL**

P501: Dispose of contents and containers as specified on the registered label.

**Emergency Overview**

**Physical Description & Colour:** Beige coloured granulated solid.

**Odour:** No odour.

**Major Health Hazards:** Sulfometuron-methyl's acute oral toxicity is very low. The LD<sub>50</sub> of Sulfometuron methyl in rats is greater than 5000 mg/kg. One study showed an LD<sub>50</sub> greater than 17,000 mg/kg. The acute dermal toxicity of the compound is also low. The LD<sub>50</sub> values for exposure through the skin ranges from over 2000 mg/kg in female rabbits to over 8000 mg/kg in male rabbits. No significant risk factors have been found for this product.

**Section 3 - Composition/Information on Ingredients**

| Ingredients                     | CAS No     | Conc, % | TWA (mg/m <sup>3</sup> ) | STEL (mg/m <sup>3</sup> ) |
|---------------------------------|------------|---------|--------------------------|---------------------------|
| Sulfometuron methyl ester       | 74222-97-2 | 20g/kg  | not set                  | not set                   |
| Other non hazardous ingredients | secret     | to 100  | not set                  | not set                   |

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

**SAFETY DATA SHEET**

Issued by: Macspred Pty Ltd

Phone: 03 5335 8522 (office hours)

**Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)**

## Section 4 - First Aid Measures

### General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

**Skin Contact:** Gently brush away excess particles. Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

**Eye Contact:** Quickly and gently brush particles from eyes. No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

## Section 5 - Fire Fighting Measures

**Fire and Explosion Hazards:** The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. This product, if scattered, may form flammable or explosive dust clouds in air.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** Not combustible. Use extinguishing media suited to burning materials.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. Do not scatter spilled material with high pressure water jets.

**Flammability Class:** No data.

## Section 6 - Accidental Release Measures

**Accidental release:** In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. No special recommendations for clothing materials. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable Dust Mask.

Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## Section 7 - Handling and Storage

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

## Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: **AS/NZS 4501** set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

### SWA Exposure Limits

### TWA (mg/m<sup>3</sup>)

### STEL (mg/m<sup>3</sup>)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

## SAFETY DATA SHEET

The ADI for Sulfometuron methyl ester is set at 0.02mg/kg/day. The corresponding NOEL is set at 2.5mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, Dec 2012.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that dusts are minimised.

**Eye Protection:** Eye protection is not normally necessary when this product is being used. However, if in doubt, wear suitable protective glasses or goggles.

**Skin Protection:** The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: PVC.

**Respirator:** If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask.

Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

## Section 9 - Physical and Chemical Properties:

|   |   |
|---|---|
| <b>Physical Description &amp; colour:</b> | Beige coloured granulated solid.                |
| <b>Odour:</b>                             | No odour.                                       |
| <b>Boiling Point:</b>                     | Not available.                                  |
| <b>Flash point:</b>                       | >350°C  |
| <b>Upper Flammability Limit:</b>          | No data.  |
| <b>Lower Flammability Limit:</b>          | No data.  |
| <b>Autoignition temperature:</b>          | No data.  |
| <b>Freezing/Melting Point:</b>            | No specific data. Solid at normal temperatures. |
| <b>Volatiles:</b>                         | No specific data. Expected to be low at 100°C.  |
| <b>Vapour Pressure:</b>                   | Negligible at normal ambient temperatures.      |
| <b>Vapour Density:</b>                    | Not applicable.                                 |
| <b>Specific Gravity:</b>                  | 1.41  |
| <b>Water Solubility:</b>                  | 0.46% (Sulfometuron methyl)                     |
| <b>pH:</b>                                | No data.  |
| <b>Volatility:</b>                        | Negligible at normal ambient temperatures.      |
| <b>Odour Threshold:</b>                   | No data.  |
| <b>Evaporation Rate:</b>                  | Not applicable.                                 |
| <b>Coeff Oil/water Distribution:</b>      | No data   |
| <b>Particle Characteristics:</b>          | Granulated solid. No further data available.    |
| <b>Autoignition temp:</b>                 | No data.  |

## Section 10 - Stability and Reactivity

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

**Incompatibilities:** No particular Incompatibilities.

**Fire Decomposition:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. May form oxides of sulfur (sulfur dioxide is a respiratory hazard) and other sulfur compounds. Most will have a foul odour. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

## Section 11 - Toxicological Information

**Toxicity: Acute toxicity:** Sulfometuron-methyl's acute oral toxicity is very low. The LD<sub>50</sub> of Sulfometuron methyl in rats is greater than 5000 mg/kg. One study showed an LD<sub>50</sub> greater than 17,000 mg/kg. The acute dermal toxicity of the compound is also low. The LD<sub>50</sub> values for exposure through the skin ranges from over 2000 mg/kg in female

## SAFETY DATA SHEET

rabbits to over 8000 mg/kg in male rabbits. The technical compound is not a skin irritant or a skin sensitizer. It has mild eye irritant properties in rabbits. The acute inhalation LC<sub>50</sub> is above 5.3 mg/L in rats, indicating its slightly toxic nature by this route.

**Chronic toxicity:** Several toxic effects have been seen with chronic exposure to Sulfometuron-methyl in test animals. At doses of 25 mg/kg/day, dogs experienced reduced red-blood cell counts and increased liver weight. In this study, dogs were fed the compound in their food for a year. In two other studies conducted over 90 days, rats had increased white-blood cell counts (leukocytes) and anaemia only at the highest dose tested (375 mg/kg/day). In a 2-year feeding study, no effects were noted below 7.5 mg/kg/day in rats.

**Reproductive effects:** In a 90-day reproductive effects study in rats, no reproductive effects were observed at doses of 300 mg/kg/day. Another study in rats showed decreased fecundity and body weight at 300 mg/kg/day. Studies of rabbits showed no foetotoxic effects at 300 mg/kg/day, the highest dose tested. Reproductive effects due to Sulfometuron-methyl are not likely.

**Teratogenic effects:** No teratogenic effects were observed in studies of rats and rabbits at doses of 300 mg/kg/day. It is unlikely that Sulfometuron-methyl is teratogenic.

**Mutagenic effects:** The compound was not mutagenic in a variety of assays conducted on Salmonella cells and Chinese hamster ovary cells. It is unlikely that the compound poses a mutagenic risk.

**Carcinogenic effects:** No carcinogenic effects have been detected in either rats or mice exposed to Sulfometuron-methyl.

**Organ toxicity:** As was noted above, increased liver weight may result from chronic exposure. Damage to blood forming agents may also occur.

**Fate in humans and animals:** Sulfometuron-methyl is readily absorbed through the gastrointestinal tract and is rapidly broken down and removed from the organism. Half-lives of the compound in rats ranged from 28 to 40 hours, depending on the dose (16 mg/kg and 3000 mg/kg, respectively). The compound did not accumulate in rats. There is no data to hand indicating any particular target organs.

### Classification of Hazardous Ingredients

#### Ingredient

#### Health Hazard Statement Codes

No ingredient mentioned in the HCIS Database is present in this product at hazardous concentrations.

### Potential Health Effects

#### Inhalation:

**Short Term Exposure:** Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term inhalation.

#### Skin Contact:

**Short Term Exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. In addition product is unlikely to cause any discomfort in normal use.

**Long Term Exposure:** No data for health effects associated with long term skin exposure.

#### Eye Contact:

**Short Term Exposure:** This product may be mildly irritating to eyes, but is unlikely to cause anything more than mild discomfort which should disappear once product is removed.

**Long Term Exposure:** No data for health effects associated with long term eye exposure.

#### Ingestion:

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term ingestion.

#### Carcinogen Status:

**SWA:** No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** No significant ingredient is classified as carcinogenic by IARC.

### Section 12 - Ecological Information

Insufficient data to be sure of status. Expected to not be an environmental hazard.

**Effects on birds:** Sulfometuron-methyl is practically nontoxic to birds. The acute oral LD<sub>50</sub> in mallards is greater than 5000 mg/kg. An 8-day dietary study with mallard ducks and bobwhite quail also showed an LC<sub>50</sub> greater than 5000 ppm for both species.

### SAFETY DATA SHEET



**Effects on aquatic organisms:** The compound is slightly toxic to freshwater fish. Its LC<sub>50</sub> in rainbow trout and in bluegill sunfish is greater than 12.5 mg/L. While the compound may not present a significant threat to adult aquatic organisms, the embryo hatch stage of fathead minnow may be at particular risk from the presence of the compound. Fish kills have been associated with Sulfometuron-methyl, but other causes have not been ruled out. Sulfometuron-methyl is practically nontoxic to the water flea, *Daphnia magna*. Its LC<sub>50</sub> in the water flea is greater than 125 mg/L for the technical material and greater than 1000 mg/L for dispersible granules. No bioaccumulation has been detected.

**Effects on other organisms:** No data are currently available.

**Environmental Fate:**

**Breakdown in soil and groundwater:** Sulfometuron-methyl is of low to moderate persistence in the soil environment. It is broken down in soil by the action of microorganisms, by the chemical action of water (hydrolysis), and through the action of sunlight (photodegradation). Reported field half-lives of Sulfometuron-methyl range from 20 to 28 days. In several field dissipation studies, half of the initial applied amount of the compound remained for 1 to 3 weeks, depending on soil type, vegetation cover, and pH. Under anaerobic soil conditions, the compound persists slightly longer, though the half-life is still rather short (up to 8 weeks). Sulfometuron-methyl does not bind strongly to soil and is slightly soluble in water, but is rapidly degraded and does not appear to pose a threat to groundwater. Field study data indicated a majority of the parent compound stays within the top 3 inches of soil.

**Breakdown in water:** In well aerated acidic water, the compound is broken down quickly. Reported field half-lives for Sulfometuron-methyl in water vary from 1 to 3 days to 2 months or more. Photolysis is generally less important than hydrolysis in its breakdown. Under non-oxygenated (anaerobic) conditions in water sediments, the compound had a half-life of several months.

**Breakdown in vegetation:** Because Sulfometuron-methyl is toxic to a number of plants and is non-selective, the use of the compound on non-croplands, including rights of way and along ditch banks, may endanger both terrestrial and aquatic plant species.

### Section 13 - Disposal Considerations

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

### Section 14 - Transport Information

**UN Number:** This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

### Section 15 - Regulatory Information

**AIC:** All of the significant ingredients in this formulation are compliant with AICIS regulations. The following ingredient: Sulfometuron methyl, is mentioned in the SUSMP.

### Section 16 - Other Information

**This SDS contains only safety-related information. For other data see product literature.**

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD STATEMENT: INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7

Copyright © Kilford & Kilford Pty Ltd, October, 2023.

<http://www.kilford.com.au/> Phone (02)8321 8866

## SAFETY DATA SHEET